

Prepared for:

**Centers for Medicare & Medicaid Services and Office of the  
National Coordinator for Health Information Technology**

**CMS Alliance to Modernize Healthcare  
Federally Funded Research and Development Center**

**Technical Authority for the Unified Clinical Quality  
Improvement Framework**

## **Bonnie User Guide**

**Version 2.3**

**August 23, 2018**

The views, opinions, and/or findings contained in this report are those of The MITRE Corporation and should not be construed as official government position, policy, or decision unless so designated by other documentation.

© 2018, The MITRE Corporation. All Rights Reserved. Approved for Public Release. Distribution Unlimited 13-4297.

## Record of Changes

Version	Date	Author / Owner	Description of Change
0.1	April 15, 2014	Andre Quina / MITRE	Initial draft
0.1.1	July 18, 2014	Cristen Jones / MITRE	Update for Bonnie v 1.1
0.2	April 13, 2015	Cristen Jones / MITRE	Update for Bonnie v 1.3
1.4	January 13, 2016	Pace Ricciardelli / MITRE	Update for Bonnie v 1.4
1.5	November 18, 2016	David Connolly and Lizzie DeYoung / MITRE	Update for Bonnie v 1.5
1.6	January 4, 2017	Kristian Mulcahy and Chris Tohline / MITRE	Update for Bonnie v 1.6
1.6.5	June 8, 2017	Chris Tohline / MITRE	Update for Bonnie v 1.6.5
2.0	November 14, 2017	Rose Almonte, Lizzie Charbonneau, Chris Tohline, Jenn Reed / MITRE	Update in preparation for Bonnie v 2.0
2.1	May 3, 2018	Lizzie Charbonneau / MITRE	Update for Bonnie v 2.1
2.1.2	May 31, 2018	Lizzie Charbonneau / MITRE	Update for Bonnie v 2.1.2
2.2	July 13, 2018	Cole Springate-Combs / MITRE	Update for Bonnie v 2.2
2.3	August 23, 2018	James Bradley / MITRE	Update for Bonnie v 2.3

# Table of Contents

<b>1. Introduction</b>	<b>1</b>
1.1 Background	1
1.2 Purpose	1
1.3 Application Description	1
<b>2. User Account Creation</b>	<b>3</b>
2.1 Login Page	3
2.2 Creating a New User	3
2.3 Resetting a Password	4
2.4 Account Management	5
<b>3. Measure Dashboard</b>	<b>6</b>
3.1 Overview	6
3.2 Loading a New Measure	7
3.2.1 Value Set Options	9
3.3 Updating a Measure	10
3.4 Creating Synthetic Test Records	11
<b>4. Measure Results View</b>	<b>12</b>
4.1 Overview	12
4.2 Measure Logic	14
4.3 Creating a New Test Record	14
4.4 Calculation Results	15
4.5 Editing a Test Record	17
4.6 Cloning a Test Record	17
4.7 Deleting a Test Record	17
4.8 Updating a Measure	18
4.9 Deleting a Measure	18
<b>5. Building a Patient Test Record</b>	<b>19</b>
5.1 Overview	19
5.2 Building a Synthetic Patient	20
5.3 Building the Patient History	21
5.3.1 Patient History Items that Are Related to Past Items	23
5.4 Incremental Calculation	23
<b>6. Feedback and Support</b>	<b>24</b>
<b>7. Frequently Asked Questions</b>	<b>25</b>
<b>Acronyms</b>	<b>27</b>

## List of Figures

Figure 1. Bonnie Login Page .....	3
Figure 2. Account Registration Page .....	4
Figure 3. Password Reset Page .....	4
Figure 4. Account Management Page .....	5
Figure 5. Measure Dashboard View .....	6
Figure 6. New Measure Dialog .....	7
Figure 7. Finalize Measure Dialog.....	8
Figure 8. Value Set Options – Profile .....	9
Figure 9. Value Set Options - Release .....	10
Figure 10. Updating Measure Dialog.....	11
Figure 11. Measure View .....	13
Figure 12. Measure Terminology and Overlapping Value Sets .....	14
Figure 13. Expanded Results View.....	15
Figure 14. Logic Calculation Highlight – Passing Results .....	16
Figure 15. Logic Calculation Highlight – Expanded Result.....	16
Figure 16. Logic Calculation Highlight – Failing Results .....	17
Figure 17. Patient Builder View .....	19
Figure 18. Continuous Variable Measures Expected Populations.....	21
Figure 19. Building Patient History, Including Edit Clinical Element View .....	22
Figure 20. References Section of the Patient History Builder .....	23
Figure 21. User Group Link on Bonnie Splash Page.....	24
Figure 22. User Group Link in the Application Header .....	24

# 1. Introduction

## 1.1 Background

Bonnie is a software tool that allows electronic Clinical Quality Measure (eCQM) developers to test and verify the behavior of their CQM logic. The main goal of the Bonnie application is to reduce the number of defects in eCQMs by providing a robust and automated testing framework. The Bonnie application allows measure developers to independently load measures that they have constructed using the Measure Authoring Tool (MAT). Developers can then use the measure metadata to build a synthetic patient test deck for the measure from the clinical elements defined during the measure construction process. By using measure metadata as a basis for building synthetic patients, developers can quickly and efficiently create a test deck for a measure. The Bonnie application helps measure developers execute the measure logic against the constructed patient test deck and evaluate whether the logic aligns with the intent of the measure.

Bonnie has been designed to integrate with the nationally recognized data standards the Centers for Medicare & Medicaid Services (CMS) Quality Reporting programs use for expressing CQM logic for machine-to-machine interoperability. This integration provides enormous value to the eCQM program and federal policy leaders and stakeholders. The Bonnie tool verifies that the new and evolving standards for eCQMs used in the CMS Quality Reporting programs are flexible and can be implemented in software.

Bonnie was also designed to provide an intuitive and easy-to-use interface based on feedback from the broader measure developer community. A key goal of the Bonnie application is to deliver a user experience that provides an efficient and intuitive method for constructing synthetic patient records for testing and validating eCQMs.

Finally, the Bonnie software is freely available via an Apache 2.0 open source license. The CMS Electronic Health Records (EHR) Incentive Program makes all or parts of the Bonnie software available for inspection, verification, and even reuse by other government programs or federal contractors.

## 1.2 Purpose

The purpose of this document is to describe the functionality of the Bonnie web application that allows measure developers to test and verify the behavior of their CQM logic. This document provides Bonnie users with step-by-step instructions for testing eCQMs by building synthetic patient records.

## 1.3 Application Description

The Bonnie application provides the capability to import measures defined in Health Quality Measure Format (HQMF) Extensible Markup Language (XML) and Clinical Quality Language (CQL). The HQMF specification provides the metadata and the CQL libraries provide the logic for calculating a CQM. The Bonnie application can load an eCQM containing the HQMF and CQL describing a measure and programmatically convert both into an executable format that allows calculation of the measure directly from the specification.

The CMS Measure Authoring Tool is the primary source for eCQMs used by the Bonnie application. Measure developers use the MAT to build eCQMs and export those measures as measure bundles containing HQMF and one or more CQL libraries. These measure bundles can be downloaded from the MAT and loaded into the Bonnie user interface for measure testing.

Once an eCQM has been loaded into the Bonnie application, a user can inspect the measure logic and then build synthetic test records and set expectations on how those test records will calculate against a measure. This capability to build synthetic test patient records, set expectations against those records, and calculate the measures using those patient records provides an automated and efficient testing framework for eCQMs. Through the Bonnie-supported eCQM testing framework, measure developers can more clearly understand the behavior of the measure logic and validate that the measure logic encodes their intent, as well as validate multiple iterations of measure updates against a test deck.

In addition, the development of a test deck as part of measure development provides benefits after the measures are finalized. For example, the test deck can demonstrate the intent of the measure through the patient examples in the deck. The systems in the test deck implement those measures with a means to validate their development through a base set of synthetic patient records with known expectations for calculating against the implemented measures. Finally, the test deck can provide input for the Office of the National Coordinator (ONC) Health IT Certification Program. If the synthetic patients are clinically valid, Cypress<sup>1</sup> users can use them in addition to or instead of their own patients.

---

<sup>1</sup> Cypress is the rigorous and repeatable testing tool of Electronic Health Records (EHR) and EHR modules used in calculating Meaningful Use Stage 2 Clinical Quality Measures.

## 2. User Account Creation

### 2.1 Login Page

Users require a valid account to access the Bonnie application. All measures loaded into the Bonnie application and all synthetic test patients are isolated by account. Therefore, users can only view, access, and modify data that they have loaded under their own account. Figure 1 shows the login screen for the Bonnie application. To log in, a user must provide the email address and password for a valid account.


The image shows a login page for the Bonnie application. At the top, the word "BONNIE" is displayed in a large, blue, sans-serif font. Below it, the text "A TESTING TOOL FOR ECQMS" is written in a smaller, black, sans-serif font. There are two input fields: the first is for an email address, with a placeholder "email@example.com" and an envelope icon to its left; the second is for a password, with a placeholder "password" and a lock icon to its left. Below these fields is a prominent blue button with the word "LOGIN" in white, uppercase letters. At the bottom of the page, there are two links: "forgot password?" with a blue question mark icon, and "register" with a blue plus sign icon.

Figure 1. Bonnie Login Page

### 2.2 Creating a New User

A user can create a new account by clicking the “register” link on the login page. The register link brings the user to account creation page shown in Figure 2. A user can create a new account by filling out the fields in the registration form and clicking the “REGISTER” button. Once an account has been created, the user can log in to the Bonnie application with the email address and password specified as part of account creation.

**BONNIE**

**REGISTER**

first name last name

email@example.com (000) 000-0000

password\* confirm password\*

Must be at least 8 characters long and contain characters from at least two of: lowercase letters, uppercase letters, numbers, and special characters.

**Terms and conditions for use of Bonnie.**

Performance measures and related data specifications (the "Measures") are copyrighted by the noted quality measure providers as indicated in the applicable Measure. Coding vocabularies are owned by their copyright owners. By using the Measures, a user ("User") agrees to these Terms of Use. Measures are not clinical guidelines and do not establish a standard of medical care and quality measure providers are not responsible for any use of or reliance on the Measures.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED 'AS IS' WITHOUT ANY WARRANTY OF ANY KIND, AND ANY AND ALL IMPLIED WARRANTIES ARE HEREBY DISCLAIMED, INCLUDING ANY WARRANTY OF NON-INFRINGEMENT, ACCURACY, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO QUALITY MEASURE PROVIDER, NOR ANY OF THEIR TRUSTEES, DIRECTORS, MEMBERS, AFFILIATES, OFFICERS, EMPLOYEES, SUCCESSORS AND/OR ASSIGNS WILL BE LIABLE TO YOU FOR ANY DIRECT, INDIRECT, SPECIAL, EXEMPLARY, INCIDENTAL, PUNITIVE, AND/OR CONSEQUENTIAL DAMAGE OF ANY KIND, IN CONTRACT, TORT OR OTHERWISE, IN CONNECTION WITH THE USE OF THE BONNIE TOOL OR THE MEASURES, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

The Measures are licensed to a User for the limited purpose of using, reproducing and distributing the Measures with the Bonnie Tool as delivered to User, without any modification, reproduction, distribution, or other use of the Measures, in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the copyright owner.

I agree to the above Terms and Conditions of use\*

[forgot password?](#) [sign in](#)

CANCEL REGISTER

Figure 2. Account Registration Page

## 2.3 Resetting a Password

If a user forgets a password or an account is locked, the user can reset the password using the password reset page shown in Figure 3. This page is accessed from the “forgot password?” link on the login page (Figure 1). On the password reset page, the user provides the email address associated with the account and then presses the “Send” button. This action sends an email to the registered email address for the account to facilitate resetting the user’s account password.

**EVERYONE FORGETS.**

Just enter your email address, and we'll send you a link to reset your password.

email@example.com

SEND


+ register  
+ sign in

Figure 3. Password Reset Page



## 2.4 Account Management

After logging into the application, the user can change the information associated with the account by accessing the account management page shown in Figure 4. The account management page can be opened by clicking the “Account” link in the application header shown at the top of Figure 4. From this page, users can change the information provided during the registration process and select a new password for their account.



The screenshot shows the Bonnie Account Management Page. At the top left is the logo "BONNIE". At the top right are navigation links: "Dashboard", "Account" (which is underlined), "Help", and "Logout". Below the navigation is the section "CHANGE ACCOUNT INFORMATION". It contains four input fields: "Dana" (with a person icon), "Smith" (with a person icon), "bonnie@example.com" (with an envelope icon), and "(000) 000-0000" (with a phone icon). Below this is the section "CHANGE PASSWORD". It contains three input fields: "new password" (with a lock icon), "confirm new password" (with a lock icon), and "current password\*" (with a lock icon). Below the "new password" field is a note: "Must be at least 8 characters long and contain characters from at least two of: lowercase letters, uppercase letters, numbers, and special characters (leave blank if you don't want to change it)." Below the "current password\*" field is a note: "Your current password is needed to confirm your changes." At the bottom left is a link "Delete your account". At the bottom right are two buttons: "CANCEL" and "SAVE".

Figure 4. Account Management Page

## 3. Measure Dashboard

### 3.1 Overview

The Measure Dashboard page, as shown in Figure 5, is the initial page presented to users when they log into the application. The Measure Dashboard shows the calculation status of each measure loaded into the system. The calculation status shows how many patient records have been built for the measure, whether the measure is currently passing or failing, and how many patients are passing or failing for each measure.




Figure 5. Measure Dashboard View

The Measure Dashboard View employs the following user interface (UI) elements (indicated by their item numbers in Figure 5):

1. Header – Allows the user to navigate to different parts of the application, access account information, send a support email (Contact), and log out of the application.
2. Measure Period Date – Displays the measurement period used for calculating measures.
3. Upload Button – Allows the user to upload a new measure.
4. Expected Column – Displays the percentage of passing patients for the measure.
5. Status Column – Displays the status of the measure (New, Pass, Fail).
6. Test Patient Column – Displays the number of patients passing out of the total number of patients.

7. Measure Title – Displays the title for the measure and allows navigation to the measure view.
8. Subpopulation and stratification titles – Displays the titles for subpopulations or stratifications of a measure.
9. Edit Title Button – Allows the user to rename a subpopulation or stratification.
10. Update Button – Allows the user to update a previously loaded measure.
11. Add Patient Button – Allows the user to start building a new patient for a measure.

## 3.2 Loading a New Measure

When users log into the system for the first time, no measures will be associated with the account. The user's first step is to load a measure into the account to begin testing the measure with the Bonnie application. The New Measure dialog, as shown in Figure 6, prompts the user to upload a measure.

The user may either upload a measure now or close this display and upload a measure later. After one or more measures have been uploaded, this page displays the current set of measures loaded into the system along with the subpopulations and stratifications associated with the measures. The Measure Dashboard allows users to navigate to the details of individual measures, upload a new measure, or update the definition of an existing measure. To upload a new measure, click the "Upload" button (item #3 in Figure 5) on the Measure Dashboard, which opens the New Measure Dialog shown in Figure 6.

The screenshot shows the 'New Measure' dialog box with the following elements and callouts:

- 1**: MEASURE DATA with a BROWSE button.
- 2**: VSAC USERNAME and VSAC PASSWORD input fields, with a Register for VSAC link below.
- 3**: VALUE SETS section with Profile and Release tabs, a dropdown menu showing 'Latest eCQM (eCQM Update 2018-09-17)', a Draft checkbox, and an Override options checkbox.
- 4**: TYPE section with Eligible Professional and Eligible Hospital tabs.
- 5**: CALCULATION section with Patient Based and Episode of Care tabs.
- 6**: A checkbox for 'Include Supplemental Data Element Calculations'.
- 7**: CLOSE button.
- 8**: LOAD button.

Figure 6. New Measure Dialog

After clicking the “Upload” button, the user needs to fill out the information requested from the New Measure Dialog. These fields are outlined below and are indicated by their corresponding item numbers in Figure 6.

1. Browse – Opens a file browser enabling the user to select a MAT measure package to upload into Bonnie.
2. VSAC Username and Password – Fields for entering the user’s VSAC credentials to enable Bonnie to load the value sets included within the measure.
3. Value Set Options – Options to define which value sets should be downloaded from VSAC. More information about these options is included in subsection 3.2.1.
4. Type – Option to define if the measure is an Eligible Professional/Eligible Clinician or Eligible Hospital/Critical Access Hospital measure.
5. Calculation – Option to define if the measure is a Patient-based measure or an Episode of Care-based measure.
6. Include Supplemental Data Element Calculations – Option to define if supplemental data elements should be included in calculations and displayed in the supplemental data element section in the measure logic.
7. Close – Closes the New Measure Dialog without uploading the measure.
8. Load – Uploads the specified measure using the selected options.

The action of clicking the “Load” button in the New Measure Dialog uploads the measure to the application for processing. If the measure loaded is Episode of Care or has multiple populations, the user is presented with the Finalize Measure Dialog shown in Figure 7. This dialog allows the user to specify the episode(s) of care for the measure and provide titles for subpopulations. After filling out the Finalize Measure fields, the user clicks the “Done” button to finish loading the measure. Once measure loading is complete, the application directs the user to the Measure Dashboard (Figure 5) with the new measure available. If the measure is not Episode of Care or does not have subpopulations, the Finalize Measure Dialog is not presented because no additional information is required to load the measure.




Figure 7. Finalize Measure Dialog

### 3.2.1 Value Set Options

Bonnie allows users to download value sets associated with a measure based on either a VSAC profile or VSAC release. Bonnie also allows users to download draft value sets (if “Profile” is selected) and/or override their selections with value set versions specified within the CQL logic itself as shown in Figure 8.




Figure 8. Value Set Options – Profile

Figure 8 shows the Value Set Options section (item #3 in Figure 6) with the default selections. The default selections are “Profile” with the “Latest eCQM” profile selected and “Draft” checked. These default selections have the same behavior as the default selections in Bonnie v2.0. The UI elements included when “Profile” is selected are as follows:

1. Profile – When Profile is selected, Bonnie queries the Value Set Authority Center (VSAC) for value sets calculated by an expansion profile. Expansion profiles are instructions for calculating value set content based on specific code system versions and retired legacy codes.
2. Profile dropdown selector – Allows the user to select an expansion profile to use for retrieving value sets. The default selection is “Latest eCQM <<{profile}>>” where {profile} is the VSAC profile referenced by “Latest eCQM”. In this screen shot, the referenced profile is “eCQM Update 2018-05-04”, so the display shows “Latest eCQM <<eCQM Update 2018-05-04>>”.
3. Override options with measure defined versions – It is possible for a measure to contain value set versions within the CQL itself. This option allows the user to override the selected option to use the measure defined value set versions. If this option is selected and a version for a value set is **not** defined within the measure, then Bonnie will use the selected profile to retrieve the appropriate value set version.
4. Draft – When this option is selected, Bonnie will retrieve the draft value set expansions for the selected expansion profile. Note that if the user selects draft and is not an assigned author or steward group member for one or more of the value sets included in the measure, the measure upload will fail. Draft is selected by default.
5. Information buttons – Contains additional information regarding the value set options.

Figure 9 shows the Value Set Options section (item #3 in Figure 6) with “Release” selected.



Figure 9. Value Set Options - Release

The UI elements included when “Release” is selected are as follows:

1. Release – When Release is selected, Bonnie queries VSAC for the published value sets associated with the specified release.
2. Program dropdown selector – Allows the user to select the program that includes the release they would like to use.
3. Release dropdown selector – Allows the user to select the appropriate release.
4. Override options with measure defined versions – It is possible for a measure to contain value set versions within the CQL itself. This option allows the user to override the selected option to use the measure defined value set versions. If this option is selected and a version for a value set is **not** defined within the measure, then Bonnie will use the selected release to retrieve the appropriate value set version.
5. Information buttons – Contains additional information regarding the value set options.

### 3.3 Updating a Measure

Once the measure has been loaded, the testing process may identify issues with the measure. When issues are identified, the logic must be updated in the MAT to resolve these issues. Alternatively, the measure could be updated in the MAT as part of an annual update. After a measure has been updated in the MAT, it may be necessary to update that measure in Bonnie for testing. To update a measure, follow these steps:

1. Click the “Update” button (item #10 in Figure 5) on the Measure Dashboard, which displays the “Update Measure” dialog as shown in Figure 10.
2. Select a new MAT export zip with the updated measure definition.
3. Click the “Load” button to load the new version of the measure.

Test104

MEASURE DATA **BROWSE** DRAFT CMS104 CQL\_with\_json.zip

VSAC USERNAME

VSAC PASSWORD   
[Register for VSAC](#)

VALUE SETS **Draft** Measure Defined

TYPE Eligible Professional (EP)

CALCULATION Patient Based

REBUILD PATIENTS **No** Yes

**CLOSE** **LOAD**

Figure 10. Updating Measure Dialog

### 3.4 Creating Synthetic Test Records

Once a set of measures has been loaded into the Bonnie application, users can start building test patients for the measures. To build a test patient from the Measure Dashboard (Figure 5), click the “Add Patient” button (item #12). This action opens the patient builder screen as shown in Figure 17. For more information, please refer to Section 5, *Building a Patient Test Record*.

After the user creates synthetic test patients for measures, the Measure Dashboard displays summary calculation results of the patients associated with each measure loaded by the user (Figure 5). As shown in Figure 5, UI elements #s 5, 6, and 7 on the Measure Dashboard provide the summary results for each measure. In the “Expected” column (item #5), the UI displays the percentage of patients associated with the measure whose calculated values meet the expectations set for the patient. The “Status” column (item #6) indicates the current state of the measure—whether it is passing, failing, or new. A measure is in the passing state if all associated patients are meeting expectations. If one or more patients are not meeting expectations, then the measure is in a failing state. Any measure is in the new state when there are no patients associated with it. Finally, the “Test Patients” column (#7) displays the number of passing patients over the total number of patients as a fraction. The measure view, as represented in Figure 11 in Section 4, shows more detailed results for a measure.

## 4. Measure Results View

### 4.1 Overview

As shown in Figure 11, the Measure View page displays the detailed information, associated patients, and calculation results for a single measure. In this view, users can add new patients to a measure, update a measure, and delete a measure. To access the Measure View, click on the “Measure Title” link (item #7) on the Measure Dashboard, as shown in Figure 5.

The Measure View page presents the title and description of the measure, the logic for the measure, and a measure complexity indicator. The page lists the current set of test patients associated with the measure in the column on the right-hand side of the page. This column displays the summary calculation results for the patient test deck associated with the measure along with the list of patients and the individual calculation results for each. This page also shows the results of calculation for a single patient along with an overlay of the calculation results on the measure logic.

The following UI elements appear at the top of the Measure View page (indicated by their item numbers in Figure 11):

1. Measure Title – Displays the title and description of the measure.
2. Measure Actions – Allows the user to delete or update a measure definition.
3. Measure Complexity – Indicates the measure’s degree of complexity.
4. Measure Subpopulations or Stratifications – Allows access to different subpopulations or stratifications in the measure.
5. Measure Logic – Displays a representation of the logic for the measure.
6. Logic Highlighted With Coverage – Displays the logic for the measure, highlighting which lines of the measure are covered by the test patients.
7. Patient Actions – Allows the user to export patient records as QRDA or Excel.
8. Percent Successful – Displays the percent of patients currently meeting expectations for the measure.
9. Patients Passing Count – Displays the current number of patients meeting expectations over the total number of patients in the test deck for the measure.
10. Test Coverage – Displays the percentage of the measure logic that has evaluated to true for the patient test deck. This measure provides a method for determining how much of the logic has been tested.
11. Add Patient – Allows the addition of a new patient to the test deck for this measure.
12. Failing Patient – Displays an example of a patient that is not currently meeting expectations for the measure.
13. Passing Patient – Displays an example of a patient that is meeting expectations.























12. Show Result – Displays the result of the logic evaluated on the patient.
13. Show All Results – Displays the result for each measure logic block evaluated on the patient.

The screenshot displays the 'PATIENT HISTORY' interface for patient CMS105V7. On the left, a vertical 'ELEMENTS' sidebar (1) lists categories: ALLERGIES INTOLERANCES, CHARACTERISTIC, ENCOUNTERS, INTERVENTIONS, LABORATORY TESTS, and MEDICATIONS. The main area shows three history items:
 

- ENCOUNTER (2)**: Performed: Non-Elective Inpatient Encounter, DATE: 01/11/2012 - 01/15/2012.
- ALLERGY INTOLERANCE**: Allergy/intolerance: Statin Allergen, DATE: 01/15/2012.
- Laboratory Test: Performed: LDL-c (3)**: Includes a 'RELEVANT PERIOD' section with 'START' (4) and 'STOP' (5) date/time pickers (07/10/2012 8:00 AM to 07/10/2012 8:15 AM), a 'CODES' (6) field with LOINC: 13457-7, and 'FIELD VALUE' (7) and 'REFERENCES' sections with dropdowns (8).

 At the bottom of the history items are 'NOT PERFORMED' (9) and a minus sign (10) button. On the right, the 'CMS105V7' section (11) shows 'CQL Calculation Results: IPP 1, DENOM 1, DENEX 0, DENEXCEP 1, NUMER 0'. Below this are 'SHOW ALL RESULTS' (13) and 'SHOW RESULT' (12) buttons, along with dropdowns for 'INITIAL POPULATION', 'DENOMINATOR', 'DENOMINATOR EXCLUSION', and 'NUMERATOR', each with associated CQL code snippets.

Figure 19. Building Patient History, Including Edit Clinical Element View

After the user defines the patient characteristics, the user builds a patient history from QDM elements extracted from the measure. The available elements from the measure are organized by category and listed in the “Elements” section (item #1). The user can click a category to expand the list of available elements. Expanding this list allows the user to click and drag an individual element onto the patient history (item #2).

Several fields in the Edit Clinical Element View can be edited for an event in the patient history using the controls shown in Figure 19. These fields include the start date/time of the event (items #4 and #5), codes (item #6), values (item #7), various fields (item #8), and negation rationale (item #9). The start and end date times can be set for an event by either typing into the text fields directly or by using the date/time pickers that are displayed when the field is selected. An undefined end time can be set for the event (used for active or ongoing events) by selecting

the “Undefined” checkbox. Selecting the “Undefined” check box clears the end date/times, indicating that the event has not ended.

Values, fields, and negation rationale also can be set for an event. Values can be set by electing the type of the value (scalar or coded) and entering a scalar value or selecting a coded value from a drop-down listing of all the value sets associated with the measure. Fields such as ordinal, severity, discharge date/time, etc. can be added using the “Fields” section. Fields are added by selecting the type of the field (scalar, coded, or time) and entering a scalar value, selecting a value set, or entering a date.

Negation rationale can be defined for the event to indicate that the event was not done for a specific reason. Negation rationale is added by clicking the “Not Performed” checkbox in the negation section and selecting a value set representing the reason the event was not done.

Finally, events can be removed from the patient history by clicking the “Delete” icon (item #10). Deletion requires a two-step process. After initially pressing the “Delete” icon, the user is prompted to depress the “Delete” icon a second time to confirm the deletion.

### 5.3.1 Patient History Items that Are Related to Past Items

In creating the patient timeline, some items may change related to other items that occurred in the past. For example, a note or report may relate to a specific order or referral. Users can relate these two items using the “References” section, as depicted in Figure 20.



Figure 20. References Section of the Patient History Builder

## 5.4 Incremental Calculation

The final section of the Patient Builder View is the logic section. This section displays a representation of the logic for the measure against which the patient is constructed. The logic can be a reference to help describe the details of the data that should be added in building the synthetic patient.

The logic section continuously displays the results of calculating the patient against the measure by means of the logic highlighting described in Figure 14 and Figure 16. Any modification made to a patient triggers a recalculation of the patient against the measure, which updates the results of the calculation displayed by the logic highlighting. Therefore, while the user constructs the patient record, the user can inspect the behavior of the logic relative to the patient.

When the user has completed constructing a synthetic patient, the user clicks the “Save” button in the Patient Builder View. This action adds the patient to the test deck for the measure and returns the user to the Measure View. After the user creates the first patient, additional patients can be created from scratch or cloned from existing patients to extend the coverage of the test deck against the measure.

## 6. Feedback and Support

An issue tracker and feedback email list are available to support the resolution of issues and to answer questions related to the Bonnie application. The Bonnie issue tracker is available on the ONC Jira system at: <http://jira.oncprojectracking.org/browse/BONNIE>

When users encounter bugs in the Bonnie application, they should use the issue tracker to report bugs, ask questions, or to request new features. To add an issue, users must create a login account in the Jira system. Once an issue has been entered, the Bonnie team will review and prioritize it. Alternatively, questions can also be addressed to the Bonnie feedback list at [bonnie-feedback-list@lists.mitre.org](mailto:bonnie-feedback-list@lists.mitre.org). The Bonnie feedback list email can be accessed using the “Contact” link in the main Bonnie navigation menu at the top of every page.

In addition to feedback provided through the issue tracker, users may join the Bonnie user group for community support. This group offers the opportunity for Bonnie users to ask and respond to questions about Bonnie and receive feedback from other community members. Bonnie developers will monitor and periodically provide input as well. To join the Bonnie user group, users may click on the “User Group” link on the splash page shown in Figure 21 or the User Group option in the Help menu in the application header shown in Figure 22.



Figure 21. User Group Link on Bonnie Splash Page




Figure 22. User Group Link in the Application Header

## 7. Frequently Asked Questions

### Does Bonnie replace Cypress or is it an alternative to Cypress for certification?

No. Bonnie is a testing tool for measure developers to test measures as they are being authored, while Cypress is the Meaningful Use certification tool. Bonnie cannot be used for Meaningful Use certification for vendors.

Bonnie provides insight into the details of how measure logic behaves. This makes it useful to vendors, measure developers, and others in the clinical quality measure space who would like to better understand the behavior of clinical quality measures. The Bonnie testing tool uses the same measure calculation engine as the Cypress tool. Therefore, Bonnie can be used to better understand the behavior of the measures when implementing a measure prior to certification.

### Can I export patient records from Bonnie?

Users can export test patients constructed using Bonnie in a human-readable (HTML) format and in the QRDA Category 1 format.

### Can I load patient records into Bonnie?

Currently, Bonnie does not support loading patient records into the tool. If you would like to calculate clinical quality measures using existing patients, the popHealth tool may be a better solution.

### Does Bonnie automatically generate patient records?

Currently, Bonnie does not offer the capability to automatically generate patient records based on the measure logic. The goal of Bonnie is to allow the construction of carefully considered patient scenarios. These synthetic patient records are intended to have an expected result based on the intent of the measure. Automatically generating patient records would generate patients that align with the measure logic as written, but if there were issues in the measure logic, these patients might not align with the intent of the measure.

### My patient does not match the logic of the Initial Population. Why is the patient passing?

A test in Bonnie is based on assigning an expected outcome to a synthetic patient record based on the intent of the measure. A patient can be constructed with the expectation that the patient calculated is to be included in the Initial Patient Population. If the patient actually calculates to the Initial Patient Population, then the test passes. If the patient does not calculate to the Initial Patient Population, then the test fails.

There must be an exact match between the patient's alignment and the expectation's needs. For instance, if the expectation is set for only the Initial Patient Population, and the patient calculates to the Initial Patient Population and the Denominator, the test fails. Similarly, a patient can be constructed with the expectation that the patient does not align with any of the measure populations. In this case, if the patient does not calculate into the Initial Patient Population, the test will pass. If a patient is constructed with the expectation set of not aligning with any of the measure populations and that patient calculates into the Initial Patient Population, that test will fail.

**Where can I get help with Bonnie?**

The Bonnie application has a Help menu in the header. Once you log into the application, you can use the help menu to send an email to the Bonnie feedback list to (a) ask a question directly; (b) access the Bonnie issue tracker to enter a bug, ask a question, or request a feature; and (c) access the user guide that provides step-by-step instructions on using the Bonnie tool.

**What measure formats can I load into the Bonnie tool?**

The Bonnie application can load CQL measure packages from the Measure Authoring Tool using the QDM 5.3 model. Note that when loading, you will need a National Library of Medicine (NLM) Value Set Authority Center (VSAC) account (<https://uts.nlm.nih.gov/license.html>) to download the value sets associated with the measure.

**Do I have to be a measure developer to use the Bonnie tool?**

No. Anyone can sign up for a Bonnie account using the register link on the login page.

**Do I need to be a Measure Authoring Tool user to use the Bonnie tool?**

No. Measures can be loaded into the Bonnie tool either by using a Measure Authoring Tool zip file export or by loading measures released to the CMS website. Loading measures using a MAT zip file export will require a MAT account to download the export zip; however, if you do not have a MAT account, you can the released versions of the measures from the electronic Clinical Quality Measures (eCQM) Library page on the CMS website once they are published.

**Can Bonnie be used to calculate the results for a large number of patient records?**

Bonnie is not designed to handle calculations for more than a few hundred patient records per measure. If you are interested in calculating clinical quality measures against a larger number of patient records, the popHealth tool may be a better solution.

## Acronyms

<b>Acronym</b>	<b>Definition</b>
<b>CMS</b>	Centers for Medicare & Medicaid Services
<b>CQL</b>	Clinical Quality Language
<b>CQM</b>	Clinical Quality Measure
<b>eCQM</b>	electronic Clinical Quality Measure
<b>ED</b>	Emergency Department
<b>EH</b>	Eligible Hospital
<b>EP</b>	Eligible Professional
<b>HHS</b>	Department of Health and Human Services
<b>HQMF</b>	Health Quality Measure Format
<b>HTML</b>	Hypertext Markup Language
<b>IPP</b>	Initial Payment Population
<b>MAT</b>	Measure Authoring Tool
<b>NLM</b>	National Library of Medicine
<b>ONC</b>	Office of National Coordinator for Health Information Technology
<b>QDM</b>	Quality Data Model
<b>QRDA</b>	Quality Reporting Document Architecture
<b>UI</b>	User Interface
<b>UMLS</b>	Unified Medical Language System
<b>VSAC</b>	Value Set Authority Center
<b>XML</b>	Extensible Markup Language